

Scan for Portal



TEST REPORT

Name & Address of Customer :

PR Exports Limited

Shree Krishna Chambers, Block A, Flat 1A, 78 - Bentinck Street, Kolkata,
West Bengal- 700001, India
Report No. :

MSKGL/FD/2024-25/001273

Date :

18/06/2024

Sample No. :

MSKGL/FD/2024-25/06/00091

Drawn/Submitted on :

08/06/2024

Customer Ref No & Date

As per mail, Date - 08/06/2024

We hereby certify that the following sample Submitted by the customer has been analyzed with the following results:

1. Description of sample (As declared by customer)	SPICES
2. Sample Mark (if any, given by the customer)	LAKADONG TURMERIC POWDER
3. Date of sampling	08/06/2024
4. Place of sampling	NA
5. Environmental conditions during sampling	NA
6. Sampling Plan & Procedures used	NA

Report No. :

MSKGL/FD/2024-25/001273

Sample No. :

MSKGL/FD/2024-25/06/00091

ANALYSIS RESULT


Micro Biology					
Sl No.	Test Parameters	Unit	Test Method	Permissible Limit	Result
1	E. coli	cfu/gm	IS 5887 (Part 1)	Not Specified	<10
2	Enterobacteriaceae	cfu/gm	ISO 21528 (Part 2) : 2017	1000	600
3	Yeast & Mould Count	cfu/gm	IS 5403: 1999	100000	110
4	Sulphite reducing anaerobes (Clostridia)	cfu/gm	ISO 15213 (part - I)	1000	<10
5	Total plate count	cfu/gm	IS 5402 (Part 1) : 2021	10000000	80000
6	Salmonella	/ 25gm	IS 5887(Part3/Sec I) :2020	Absent/25gm	Absent

DL : Detection Limit BDL : Below Detection Limit

-----END OF REPORT-----

 Report Verified By 

For Mitra S. K. Private Limited



 Authorised Signatory

- This results relate only to the item(s) tested.
- This Test Report shall not be reproduced except in full, without the permission of Mitra S. K. Private Limited.