

Scan for Portal



TEST REPORT

Name & Address of Customer:

Report No.:

MSKGL/FD/2024-25/001271

PR Exports Limited

Date:

18/06/2024

T I Caporto Carino

Shree Krishna Chambers, Block A, Flat 1A, 78 - Bentinck Street, Kolkata,

Sample No.:

MSKGL/FD/2024-25/06/00089

West Bengal- 700001, India

Drawn/Submitted on :

08/06/2024

Customer Ref No & Date

As per mail, Date - 08/06/2024

We hereby certify that the following sample Submitted by the customer has been analyzed with the following results:

1. Description of sample (As declared by customer)	SPICES
2. Sample Mark (if any, given by the customer)	SHILLONG BAY LEAF POWDER
3. Date of sampling	08/06/2024
4. Place of sampling	NA NA
5. Environmental conditions during sampling	NA NA
6. Sampling Plan & Procedures used	NA NA

Report No.:

MSKGL/FD/2024-25/001271

Sample No.:

MSKGL/FD/2024-25/06/00089

ANALYSIS RESULT

Micro Biology						
SI No.	Test Parameters	Unit	Test Method	Permissible Limit	Result	
1	Enterobacteriaceae	cfu/gm	ISO 21528 (Part 2) : 2017	1000	<10	
2	Salmonella	/ 25gm	IS 5887(Part3/Sec I) :2020	Absent/25gm	Absent	
3	Yeast & Mould Count	cfu/gm	IS 5403: 1999	100000	50	
4	E. coli	cfu/gm	IS 5887 (Part 1)	Not Specified	<10	
5	Total plate count	cfu/gm	IS 5402 (Part 1): 2021	10000000	7000	
6	Sulphite reducing anaerobes (Clostridia)	cfu/gm	ISO 15213 (part - I)	1000	<10	

DL: Detection Limit

BDL: Below Detection Limit

----END OF REPORT-----

Report Verified By

For Mitra S, K. Private Limited

Authorised Signatory

Shrachi Centre (5th Floor), 74B, A.J.C. Bose Road, Kolkata - 700016, West Bengal, India.

Tel.: 91 33 40143000 / 22650007 Fax: 91 33 22650008 Email: info@mitrask.com Website: www.mitrask.com Page 1 of 1

This results relate only to the item(s) tested.

This Test Report shall not be reproduced except in full, without the permission of Mitra S. K. Private Limited.